

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20030105912"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 15:31
S2	3038	((origin\$5 or old\$3 or previous or backup\$3 or (back adj up)) near2 (version or file or record or database or data or page)) with ((new or current\$3 or updated) near2 (version or file or record or database or data or page)) with (differen\$3 or transform\$7 or updat\$3 or chang\$3 or modif\$9)) and ((sav\$3 or store or storing or calculat\$3 or comput\$3) with (differen\$3 or transform\$7 or update or chang\$3 or modif\$9)) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 09:58
S3	719	((origin\$5 or old\$3 or previous or backup\$3 or (back adj up)) near2 (version or file or record or database or data or page)) with ((new or current\$3 or updated) near2 (version or file or record or database or data or page)) with (differen\$3 or transform\$7 or updat\$3 or chang\$3 or modif\$9)) and ((sav\$3 or store or storing or calculat\$3 or comput\$3) with (differen\$3 or transform\$7 or update or chang\$3 or modif\$9)) and (@ad<"20011130") and "707"/\$.cls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 19:33
S4	2413	((origin\$5 or old\$3 or previous or backup\$3 or (back adj up)) near2 (version or file or record or database or data or page)) with ((new or current\$3 or updated or modified) near2 (version or file or record or database or data or page)) with (differen\$3 or transform\$7 or updat\$3 or chang\$3 or modif\$9)) and ((sav\$3 or store or storing or calculat\$3 or comput\$3) with (differen\$3 or transform\$7 or update or chang\$3 or modif\$9)) and (@ad<"20011130") and ((sav\$3 or stor\$3) with (new or current\$3 or updated or modified) near2 (version or file or record or database or data or page))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 19:35

S5	598	((origin\$5 or old\$3 or previous or backup\$3 or (back adj up)) near2 (version or file or record or database or data or page)) with ((new or current\$3 or updated or modified) near2 (version or file or record or database or data or page)) with (difference or transform\$7 or updat\$3 or chang\$3 or modif\$9)) and ((sav\$3 or store or storing or calculat\$3 or comput\$3) with (difference or transform\$7 or update or chang\$3 or modif\$9)) and (@ad<"20011130") and ((sav\$3 or stor\$3) with (new or current\$3 or updated or modified) near2 (version or file or record or database or data or page)) and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 09:22
S6	721	(backup\$3 or updat\$3 or version or archiv\$3).ab. and (((origin\$5 or old\$3 or previous or backup\$3 or (back adj up)) near2 (version or file or record or database or data or page)) with ((new or current\$3 or updated or modified) near2 (version or file or record or database or data or page)) with (difference or transform\$7 or updat\$3 or chang\$3 or modif\$9)) and ((sav\$3 or store or storing or calculat\$3 or comput\$3) with (difference or transform\$7 or update or chang\$3 or modif\$9)) and (@ad<"20011130") and ((sav\$3 or stor\$3) with (new or current\$3 or updated or modified) near2 (version or file or record or database or data or page))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 09:24

S7	319	(backup\$3 or updat\$3 or version or archiv\$3).ab. and (((origin\$5 or old\$3 or previous or backup\$3 or (back adj up)) near2 (version or file or record or database or data or page)) with ((new or current\$3 or updated or modified) near2 (version or file or record or database or data or page)) with (difference or transform\$7 or updat\$3 or chang\$3 or modif\$9)) and ((sav\$3 or store or storing or calculat\$3 or comput\$3) with (difference or transform\$7 or update or chang\$3 or modif\$9)) and (@ad<"20011130") and ((sav\$3 or stor\$3) with (new or current\$3 or updated or modified) near2 (version or file or record or database or data or page)) and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 09:29
S8	92	(backup\$3 or updat\$3 or version or archiv\$3).ab. and (((origin\$5 or old\$3 or previous or backup\$3 or (back adj up)) near2 (version or file or record or database or data or page)) with ((new or current\$3 or updated or modified) near2 (version or file or record or database or data or page)) with (difference or transform\$7 or updat\$3 or chang\$3 or modif\$9)) and ((sav\$3 or store or storing or calculat\$3 or comput\$3) with (difference or transform\$7 or update or chang\$3 or modif\$9)) and (@ad<"20011130") and ((sav\$3 or stor\$3) with (new or current\$3 or updated or modified) near2 (version or file or record or database or data or page)) and (appl\$5 with (difference or transform\$7 or updat\$3 or chang\$3 or modif\$9) with (new or current\$3 or updated or modified) near2 (version or file or record or database or data or page))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 10:27

S9	57	(backup\$3 or updat\$3 or version or archiv\$3).ab. and (((origin\$5 or old\$3 or previous or backup\$3 or (back adj up)) near2 (version or file or record or database or data or page)) with ((new or current\$3 or updated or modified) near2 (version or file or record or database or data or page)) with (difference or transform\$7 or updat\$3 or chang\$3 or modif\$9)) and ((sav\$3 or store or storing or calculat\$3 or comput\$3) with (difference or transform\$7 or update or chang\$3 or modif\$9)) and (@ad<"20011130") and ((sav\$3 or stor\$3) with (new or current\$3 or updated or modified) near2 (version or file or record or database or data or page)) and (appl\$5 with (difference or transform\$7 or updat\$3 or chang\$3 or modif\$9) with (new or current\$3 or updated or modified) near2 (version or file or record or database or data or page)) and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 09:44
S10	59	(operat\$5 adj system) and (roll\$3 with back with ((origin\$5 or old\$3 or previous or backup\$3 or (back adj up)) near2 (version or file or record or database or data or page))) and ((sav\$3 or store or storing or calculat\$3 or comput\$3) with (difference or transform\$7 or update or chang\$3 or modif\$9)) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 14:07
S11	73	((operat\$5 adj system) with ((roll\$3 with back) or return\$3 or recover\$3 or restor\$3) with ((origin\$5 or old\$3 or previous or backup\$3 or (back adj up)) near2 (version or file or record or database or data or page or state))) and ((sav\$3 or store or storing or calculat\$3 or comput\$3) with (difference or transform\$7 or update or chang\$3 or modif\$9)) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 10:22

S12	3	(backup\$3 or updat\$3 or version or archiv\$3).ab. and (((origin\$5 or old\$3 or previous or backup\$3 or (back adj up)) near2 (version or file or record or database or data or page or state)) with ((new or current\$3 or updated or modified) near2 (version or file or record or database or data or page or state)) with (difference or transform\$7 or updat\$3 or chang\$3 or modif\$9)) and ((sav\$3 or store or storing or calculat\$3 or comput\$3) with (difference or transform\$7 or update or chang\$3 or modif\$9)) and (@ad<"20011130") and ((sav\$3 or stor\$3) with (new or current\$3 or updated or modified) near2 (version or file or record or database or data or page or state)) and ((appl\$5 with (difference or transform\$7 or updat\$3 or chang\$3 or modif\$9) with ((new or current\$3 or updated or modified) near2 (version or file or record or database or data or page or state))) same (((deriv\$3 or get\$5 or return\$3 or recover\$3 or restor\$3 or undo\$3) with ((origin\$5 or old\$3 or previous or backup\$3 or (back adj up)) near2 (version or file or record or database or data or page or state))))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 14:18
S13	8	"200101251"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 14:19
S14	895	(delta same differen\$3 same (file or document or page or page or record)) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/30 13:39
S15	7063	(delta with (file or record or operat\$5)) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/30 13:41
S16	214	((delta with (file or record or operat\$5)) same (differen\$3 with (file or document or page or record))) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/30 14:11

S17	56	((delta with (file or record or operat\$5)) same (differen\$3 with (file or document or page or record))) and recover\$3 and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/30 14:37
S18	74	((delta or difference) with (file or record or operat\$5)) and (recover\$3 with (old\$3 or original or previous) with (file or document or page or record)) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/13 17:58
S19	163	((delta or difference) with (file or record or operat\$5)) and (((recover\$3 or creat\$3 or generat\$3) with (old\$3 or original or previous) with (file or document or page or record)) same ((delta or difference) with (file or record or operat\$5))) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/31 18:32
S20	0	((delta or differential) with recover%5) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/30 15:23
S21	336	((delta or difference) with (file or record or operat\$5)) and ((recover\$3 or restor\$3 or (re adj generat\$3) or regenrat\$3 or (re adj creat\$3) or recreat\$3) with (old\$3 or original or previous or deleted) with (file or document or page or record)) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/30 15:58
S22	39	((delta or difference) with (file or record or operat\$5)) same ((recover\$3 or restor\$3 or (re adj generat\$3) or regenrat\$3 or (re adj creat\$3) or recreat\$3) with (old\$3 or original or previous or deleted) with (file or document or page or record))) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/30 16:31
S23	5	"9912098"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 16:31
S24	8760	((delta or difference) with (file or document or page or record or image)) and (difference with number\$5) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/31 18:33

S25	1423	((delta or difference) with (word or binary or value) with (add\$3 or insert\$3 or changed or modified or deleted or miss\$3 or removed) with (file or document or page or record or image)) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/31 19:08
S26	25	((delta or difference) with (word or binary or value) with (add\$3 or insert\$3 or changed or modified or deleted or miss\$3 or removed) with (file or document or page or record or image)) and ((delta or difference) with (file or record or operat\$5)) and (((recover\$3 or creat\$3 or generat\$3) with (old\$3 or original or previous) with (file or document or page or record)) same ((delta or difference) with (file or record or operat\$5))) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/31 18:45
S27	84	((delta or difference) with (word or binary or value) with (add\$3 or insert\$3 or changed or modified or deleted or miss\$3 or removed) with (file or document or page or record or image)) and (@ad<"20011130") and ("707"/\$.ccls. or "715"/\$.ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/31 19:08
S28	100	((calculat\$3 or sav\$3 or stor\$3 or determin\$3) with (delta or difference) with (file or record or operat\$5 or document or page) with (immediat\$5 or "when" or "after") with (saved or updated or modified or changed)) and (@ad<"20011130")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/13 18:02